

NEVEREND
LIGHTING

ENGINEERING
& DESIGN

NEVEREND JEWELLERY LIGHTING SELECTION

PRODUCT
CATALOGUE

2026-2027

JEWELLERY LIGHTING

DOWNLIGHTS

DOWNLIGHT



LED DOWN LIGHT

NE-SL-616-15*3

OSRAM/GERMANY

FIXTURE

Ceiling Recessed

DIMENSIONS

Ø 190mm * H: 90mm

POWER

30W-38W-44W

BEAM

15° - 23° - 38° - 45° - 60°


CCT

2700K - 6500K

LUMENS

3600-5280 lm

DOWNLIGHT



LED DOWN LIGHT

NE-SL-628-15*3

OSRAM/GERMANY

FIXTURE

Ceiling Recessed

DIMENSIONS

Ø 160mm * H: 90mm

POWER

30W-38W-44W

BEAM

15° - 23° - 38° - 45° - 60°

CCT

2700K - 6500K

LUMENS

3600-5280 lm

DOWNLIGHT



LED DOWN LIGHT

NE-SL-616-COB

CREE/U.S

FIXTURE

Ceiling Recessed

DIMENSIONS

Ø 190mm * H: 120mm

POWER

30W-38W-44W

BEAM

24° - 36°

CCT

2700K - 6500K

LUMENS

3600-5280 lm

DOWNLIGHT



LED DOWN LIGHT

NE-SL-628-12*3

OSRAM/GERMANY

FIXTURE

Ceiling Recessed

DIMENSIONS

Ø 160mm * H: 90mm

POWER

30W-38W-44W

BEAM

15°-23°-38°-45°-60°

CCT

2700K - 6500K

LUMENS

3600-5280 lm

JEWELLERY LIGHT DOWNLIGHTS

DOWNLIGHT



LED DOWN LIGHT

NE-SL-616-12*3

OSRAM/GERMANY

FIXTURE

Ceiling Recessed

DIMENSIONS

Ø 190mm * H: 90mm

POWER

30W-38W-44W

BEAM

15° - 23° - 38° - 45° - 60°

CCT

2700K - 6500K

LUMENS

3600-5280 lm

DOWNLIGHT



LED DOWN LIGHT

NE-SL-627-12*2

OSRAM/GERMANY

FIXTURE

Ceiling Recessed

DIMENSIONS

Ø 140mm * H: 90mm

POWER

20W-25W

BEAM

15° - 23° - 38° - 45° - 60°

CCT

2700K - 6500K

LUMENS

3600-5280 lm

DOWNLIGHT



LED DOWN LIGHT

NE-SL-627-COB

CREE/U.S

FIXTURE

Ceiling Recessed

DIMENSIONS

Ø 140mm * H: 120mm

POWER

20W-25W

BEAM

24° - 36°


CCT

2700K - 6500K

LUMENS

2880-3600 lm

DOWNLIGHT



LED DOWN LIGHT

NE-SL-625-7*3

OSRAM/GERMANY

FIXTURE

Ceiling Recessed

DIMENSIONS

Ø 110mm * H: 90mm

POWER

20W-25W

BEAM

15°-23°-38°-45°-60°

CCT


2700K - 6500K

LUMENS

2880-3600 lm

JEWELLERY LIGHT DOWNLIGHTS

DOWNLIGHT



LED DOWN LIGHT

NE-SL-628

OSRAM/GERMANY

FIXTURE

Ceiling Recessed

DIMENSIONS

Ø 160mm * H: 90-110mm

POWER

30W-40W

BEAM

24° - 36°

CCT

2700K - 6500K

LUMENS

3600-5280 lm

DOWNLIGHT



LED DOWN LIGHT

NE-SL-616-24*2

OSRAM/GERMANY

FIXTURE

Ceiling Recessed

DIMENSIONS

Ø 190mm * H: 100mm

POWER

38W-44W

BEAM

15° - 23° - 38° - 45° - 60°


CCT

2700K - 6500K

LUMENS

3600-5280 lm

DOWNLIGHT



LED SQUARE DOWN LIGHT

NE-SL-340170-64

OSRAM/GERMANY

FIXTURE

Ceiling Recessed

DIMENSIONS

L340mm W-170mm * H: 70mm

POWER

64W

BEAM

23°-38°-45°-60°

CCT

2700K - 6500K

LUMENS

5000-7200 lm

DOWNLIGHT



LED SQUARE DOWN LIGHT

NE-SL-170*170

OSRAM/GERMANY

FIXTURE

Ceiling Recessed

DIMENSIONS

W:170mm * W:170-H: 90mm

POWER

38W-46W

BEAM

23° -38° - 45° - 60°

CCT

2700K - 6500K

LUMENS

3600-5280 lm

JEWELLERY LIGHT

LINEAR LIGHTS

LED BAR LIGHT



LED BAR LIGHT

NE-RB-30020

OSRAM/GERMANY

FIXTURE

Surface Mounted

DIMENSIONS

Ø 160mm * H: 90-110mm

POWER

10-20W

BEAM

24° - 36°

CCT

2700K - 6500K

LUMENS

1200-2400 lm